

Client **Evolabs Research**

 Analyzed **03/31/2026**

This Certificate of Analysis certifies that the sample listed herein was tested by Kovera Labs using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

| | | | |
|---------------------|-----------------------|--------------------|---------------------------|
| Product | Semaglutide | Form | Lyophilized powder |
| Batch | 04042026 | Labeled Qty | 10mg |
| Mol. Formula | C187H291N45O59 | CAS Number | 1997361-85-9 |
| Cap Color | Yellow | Crimp Color | Silver |

TEST RESULTS

| | REFERENCE STANDARD | RESULT |
|--------------------------------------|---------------------------|---|
| Batch Avg Purity | (>98%) | 99.965% <input checked="" type="checkbox"/> |
| Batch Avg Net Content | (10mg ± 10%) | 10.64 mg <input checked="" type="checkbox"/> |
| Identity Confirmation (LC-MS) | (Semaglutide) | Semaglutide <input checked="" type="checkbox"/> |
| Endotoxin Safety Screen | (≤0.5 EU/mL) | PASS <input checked="" type="checkbox"/> |
| Microbial Sterility Screen | (No Growth) | No Growth <input checked="" type="checkbox"/> |

HEAVY METAL SCREENING

| Analyte | Result |
|--------------|----------|
| Lead (Pb) | Negative |
| Cadmium (Cd) | Negative |
| Arsenic (As) | Negative |
| Mercury (Hg) | Negative |

BATCH CONFORMITY RESULTS

| Vial | Purity (%) | Net Content (mg) |
|----------------------|----------------|------------------|
| Vial 1 | 99.962 | 10.61 |
| Vial 2 | 99.969 | 10.67 |
| Batch Average | 99.965% | 10.64 mg |

CHROMATOGRAM

Method: RP-HPLC | Column: C18 | Detection: DAD @ 214 nm

